

MOTOR DE BARCĂ HONDA BF200D URU, CIZMĂ EXTRALUNGĂ, 200 CP

Model:	BF200D URU (cizma extralunga)
Caracteristici tehnice:	
Culoare motor	GRI clasic Honda
Tip motor	OHC – 6 cilindri la 60° V6 VTEC 24 valve
Putere motor kW/CP	147,1 / 200
Cilindree (cmc)	3583
Diam. cilindru & cursa	89 x 96
Rpm. la turatie max.	5300 - 6300
Sistem racire motor	Pe lichid (cu termostat)
Sistem admisie carburant	Cu injectie programata PGM-FI
Tip pornire	Electric
Incarcare baterie (A)	60A
Sistem evac. gaze	Dirijat la elice
Trolling plaja de operare	650 rpm ~ 1000 rpm
Raport transmisie	2,00:1
Elice standard (se poate modif la comanda)	INOX 3 pale 14”x19”
Elice contrarotanta	NU
Capacitate rezervor	Fara rezervor
Lungime Cizma	Extralunga 762 mm
Greutate (la sec)	289 kg
Inclinare motor “Trim & Tilt”	“Power Trim & Tilt”
Lungime totala	948 mm
Latime totala	660 mm
Inaltime totala	2043 mm
Compatibil cu NMEA2000® NMEA 2000 = kit pt monitorizare parametrii prin div. ceasuri)	NMEA2000® nu este inclus in pret
Nota ! In pret au fost incluse:	Elice INOX 3 pale 14”x19” Kit Remote control - Top Mount Right Hand, cod: 06250-ZVL-U09HE (30 FT); Kit 2 ceasuri (Tachometer & Trim Meter), cod: 06333-ZW5-013SK; 2 Bucati cabluri mecanice, cod: 24924-ZY3-003HE;
Optional:	

Model:	BF200D URU (cizma extralunga)
NMEA2000® (mai multe versiuni de kituri)	Intreaba vanzatorul
Elice disponibile	Intreaba vanzatorul

ELICE HONDA DISPONIBILE

1) TIP ELICE	RECOMANDAT PENTRU	DIMENSIUNE	COD COMANDA
Plastic cu 3 pale	BF2D / BF2.3A	7 1/4" X 4 3/4"	58130-ZV0-841ZB
Aluminiu 3 pale	BF4AH / BF5DH / BF6AH	7 1/4" x 5 1/2"	58130-ZVD-U01ZA
Aluminiu 3 pale	BF4AH / BF5DH / BF6AH	7 7/8" x 5 7/8"	58130-ZVD-701ZA
Aluminiu 3 pale	BF4AH / BF5DH / BF6AH	7 7/8" x 8 1/4"	58130-ZVD-801ZA
Aluminiu 3 pale	BF4AH / BF5DH / BF6AH	7 7/8" x 7 1/2"	58130-ZVD-003ZA
Aluminiu 3 pale	BF4AH / BF5DH / BF6AH	7 7/8" x 6 3/4"	58130-ZVD-601ZA
Aluminiu 3 pale	BF4.5 / BF5A	7 1/4" X 4 3/4"	58130-ZV1-841ZB
Aluminiu 3 pale	BF4.5 / BF5A	7 7/8" X 6 3/4"	58130-ZV1-941ZB
Aluminiu 3 pale	BF4.5 / BF5A	7 7/8" x 7 1/2"	58130-ZVD-003ZA
Aluminiu 3 pale	BF4.5 / BF5A	7 7/8" x 6 3/4"	58130-ZVD-601ZA
Aluminiu 3 pale	BF6A / BF8A 1986 ~ 2007	9 1/2" X 8 5/8"	58130-881-840ZB
Aluminiu 3 pale	BF9.9A / BF15A 1986 ~ 2002	9 1/2" X 8 5/8"	58130-ZV4-703ZB
Aluminiu 3 pale	BF9.9A / BF15A 1986 ~ 2002	9 1/2" X 9 1/2"	58130-ZV4-030ZB
Aluminiu 3 pale	BF9.9A / BF15A 1986 ~ 2002	9 1/4" X 8"	58130-ZV4-008AH
Aluminiu 3 pale	BF9.9A / BF15A 1986 ~ 2002	9 1/4" X 9"	58130-ZV4-009AH
Aluminiu 3 pale	BF9.9A / BF15A 1986 ~ 2002	9 1/4" X 10"	58130-ZV4-010AH
Aluminiu 3 pale	BF20A (Nu pt. BF20D!) / BF25D / BF30D	9 1/4" X 12"	58130-ZV7-000ZA
Aluminiu 3 pale	BF20A (Nu pt. BF20D!) / BF25D / BF30D	9 3/4" X 9 7/8"	58130-ZV7-850ZA
Aluminiu 3 pale	BF20A (Nu pt. BF20D!) / BF25D / BF30D	10" X 8 1/4"	58130-ZV7-860ZB
Aluminiu 3 pale	BF20A (Nu pt. BF20D!) / BF25D / BF30D	9 7/8" X 9"	58130-ZW2-F11ZA
Aluminiu 3 pale	BF20A (Nu pt. BF20D!) / BF25D / BF30D	9 7/8" X 10"	58130-ZW2-F21ZA
Aluminiu 3 pale	BF20A (Nu pt. BF20D!) / BF25D / BF30D	9 7/8" X 11"	58130-ZW2-F31ZA
Aluminiu 3 pale	BF20A (Nu pt. BF20D!) / BF25D / BF30D	9 7/8" X 12"	58130-ZW2-F01ZA
Aluminiu 3 pale	doar BF40A / BF50A	11 1/4" X 13"	58130-ZV5-000ZA
Aluminiu 3 pale	doar BF40A / BF50A	11 1/2" X 12"	58130-ZV5-850ZA
Aluminiu 3 pale	doar BF40A / BF50A	11 3/4" X 10"	58130-ZV5-860ZA
Aluminiu 3 pale	doar BF40A / BF50A	11 1/2" X 14 1/4"	58130-ZV5-870ZA
Aluminiu 3 pale	BF40A / BF40D / BF50A / BF50D / BF60A	12 1/4" X 7"	59130-ZV5-007AH
Aluminiu 3 pale	BF40A / BF40D / BF50A / BF50D / BF60A	12 1/4" X 8"	59130-ZV5-008AH
Aluminiu 3 pale	BF40A / BF40D / BF50A / BF50D / BF60A	12 1/8" X 9"	59130-ZV5-009AH
Aluminiu 3 pale	BF40A / BF40D / BF50A / BF50D / BF60A	11 5/8" X 11"	59130-ZV5-011AH
Aluminiu 3 pale	BF40A / BF40D / BF40E / BF50A / BF50D / BF60A	11 3/8" X 12"	59130-ZV5-012AH
Aluminiu 3 pale	BF40A / BF40D / BF40E / BF50A / BF50D / BF60A	11 1/8" X 13"	59130-ZV5-013AH
Aluminiu 3 pale	BF40A / BF40D / BF40E / BF50A / BF50D / BF60A	11 1/8" X 14"	59130-ZV5-014AH

1) TIP ELICE	RECOMANDAT PENTRU	DIMENSIUNE	COD COMANDA
Aluminiu 3 pale	BF40A / BF40D / BF40E / BF50A / BF50D / BF60A	11" X 15"	59130-ZV5-015AH
Aluminiu 3 pale	BF40D / BF50D / BF60A	11" X 16"	59130-ZV5-016AH
Aluminiu 3 pale	BF40D / BF50D / BF60A	11" X 17"	59130-ZV5-017AH
Aluminiu 3 pale	BF40D / BF40E / BF50D	11 1/4" X 13"	58130-ZZ5-000ZA
Aluminiu 3 pale	BF40D / BF40E / BF50D	11 3/4" X 10"	58130-ZZ5-630ZA
Aluminiu 3 pale	BF40D / BF40E / BF50D	11 1/2" X 12"	58130-ZZ5-660ZA
Aluminiu 3 pale	BF40D / BF40E / BF50D	11 1/2" X 14 1/4"	58130-ZZ5-760ZA

2) TIP ELICE	RECOMANDAT PENTRU	DIMENSIUNE	COD COMANDA
Aluminiu 3 pale	BF75 / BF100 1977 ~ 1986	9 1/2" X 8 5/8"	58130-881-840ZB
Aluminiu 3 pale	BFP60A 1998 ~ 2009	13 1/5" X 19"	58130-ZZ0-D81ZB
Aluminiu 3 pale	BFP60A 1998 ~ 2009	13 1/5" X 21"	58130-ZZ0-D91ZB
Aluminiu 3 pale	BFP80A / BF100A 1998 ~ 2009	13 1/4" x 18"	58130-ZW1-018AH
Aluminiu 3 pale	BFP60A / BF75A / BF75D / BF80A / BF90 / BF90D / BF100A / BF115A / BF130A 1998 ~ 2009	14" X 11"	58130-ZW1-011AH
Aluminiu 3 pale	BFP60A / BF75A / BF75D / BF80A / BF90 / BF90D / BF100A / BF115A / BF130A 1998 ~ 2009	13 3/4" X 13"	58130-ZW1-013AH
Aluminiu 3 pale	BFP60A / BF75A / BF75D / BF80A / BF90 / BF90D / BF100A / BF115A / BF130A 1998 ~ 2009	13 1/2" X 15"	58130-ZW1-015AH
Aluminiu 3 pale	BFP60A / BF75A / BF75D / BF80A / BF90 / BF90D / BF100A / BF115A / BF130A 1998 ~ 2009	13 1/4" X 17"	58130-ZW1-017AH
Aluminiu 3 pale	BFP60A / BF75A / BF75D / BF80A / BF90 / BF90D / BF100A / BF115A / BF130A 1998 ~ 2009	13" X 19"	58130-ZW1-019AH
Aluminiu 3 pale	BFP60A / BF75A / BF75D / BF80A / BF90 / BF90D / BF100A / BF115A / BF130A 1998 ~ 2009	13" X 21"	58130-ZW1-021AH
Aluminiu 3 pale (contrarotanta)	BF115A / BF130A 1998 ~ 2009	13 3/4" X 13" CR	58130-ZW1-013B
Aluminiu 3 pale (contrarotanta)	BF115A / BF130A 1998 ~ 2009	13 1/2" X 15" CR	58130-ZW1-015B

2) TIP ELICE	RECOMANDAT PENTRU	DIMENSIUNE	COD COMANDA
Aluminiu 3 pale <i>(contrarotanta)</i>	BF115A / BF130A 1998 ~ 2009	13 1/4" X 17" CR	58130-ZW1-017B
Aluminiu 3 pale	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	15 1/2" x 13"	58130-ZY3-013A
Aluminiu 3 pale	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	15 1/4" x 15"	58130-ZY3-015AH
Aluminiu 3 pale <i>(contrarotanta)</i>	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	15 1/4" x 15"	58130-ZY3-015BH
Aluminiu 3 pale	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	15" x 17"	58130-ZY3-017AH
Aluminiu 3 pale <i>(contrarotanta)</i>	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	15" x 17"	58130-ZY3-017BH
Aluminiu 3 pale	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 3/4" x 19"	58130-ZY3-019AH
Aluminiu 3 pale <i>(contrarotanta)</i>	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 3/4" x 19"	58130-ZY3-019BH
Aluminiu 3 pale	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 1/2" x 21"	58130-ZY3-021AH
Aluminiu 3 pale <i>(contrarotanta)</i>	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 1/2" x 21"	58130-ZY3-021BH
Aluminiu 3 pale	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 1/4" x 23"	58130-ZY3-023AH
Aluminiu 3 pale	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	15 3/4" x 15"	58130-ZY3-015AP
Aluminiu 3 pale	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	15 1/2" x 17"	58130-ZY3-017AP
Aluminiu 3 pale <i>(contrarotanta)</i>	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	15 1/2" x 17"	58130-ZY3-017BP

3) TIP ELICE	RECOMANDAT PENTRU	DIMENSIUNE	COD COMANDA
Aluminiu 4 pale <i>(standard)</i>	BF8D / BF10D / BF15D / BF20D	10" X 6 1/4"	58130-ZW9-B23ZA
Aluminiu 4 pale <i>(standard)</i>	BF8D / BF10D / BF15D / BF20D	9 1/4" X 7"	58134-ZV4-007AH
Aluminiu 4 pale <i>(standard)</i>	BF8D / BF10D / BF15D / BF20D	9 1/4" X 8"	58134-ZV4-008AH
Aluminiu 4 pale <i>(standard)</i>	BF8D / BF10D / BF15D / BF20D	9 1/4" X 9"	58134-ZV4-009AH

3) TIP ELICE	RECOMANDAT PENTRU	DIMENSIUNE	COD COMANDA
Aluminiu 4 pale <i>(standard)</i>	BF8D / BF10D / BF15D / BF20D	9 1/4" X 10"	58134-ZV4-010AH
Aluminiu 4 pale <i>(standard)</i>	BF8D / BF10D / BF15D / BF20D	9 1/4" X 11"	58134-ZV4-011AH
Aluminiu 4 pale <i>(Impingere Inalta)</i>	BF8D / BF10D	10" X 6 1/4"	06581-ZW9-A40ZA
Aluminiu 4 pale <i>(Impingere Inalta)</i>	BF15D / BF20D	10" X 7 5/8"	06581-ZY0-S00ZB
Aluminiu 4 pale <i>(standard)</i>	BF20A (Nu pt. BF20D!) / BF25D / BF30D	10 1/4" X 11"	58134-ZV7-011AH
Aluminiu 4 pale <i>(standard)</i>	BF20A (Nu pt. BF20D!) / BF25D / BF30D	10 1/8" X 12"	58134-ZV7-012AH
Aluminiu 4 pale <i>(standard)</i>	BF20A (Nu pt. BF20D!) / BF25D / BF30D	10" X 13"	58134-ZV7-013AH
Aluminiu 4 pale <i>(standard)</i>	BF20A (Nu pt. BF20D!) / BF25D / BF30D	10" X 14"	58134-ZV7-014AH
Aluminiu 4 pale <i>(standard)</i>	BF20A (Nu pt. BF20D!) / BF25D / BF30D	10" X 14"	58134-ZV7-015AH
Aluminiu 4 pale <i>(standard)</i>	BF40A / BF40D / BF50A / BF50D / BF60A	11 7/8" X 9"	58134-ZV5-009AH
Aluminiu 4 pale <i>(standard)</i>	BF40A / BF40D / BF50A / BF50D / BF60A	11 3/8" X 10"	58134-ZV5-010AH
Aluminiu 4 pale <i>(standard)</i>	BF40A / BF40D / BF50A / BF50D / BF60A	11 1/8" X 11"	58134-ZV5-011AH
Aluminiu 4 pale <i>(standard)</i>	BF40A / BF40D / BF50A / BF50D / BF60A	10 7/8" X 12"	58134-ZV5-012AH
Aluminiu 4 pale <i>(standard)</i>	BF40A / BF40D / BF50A / BF50D / BF60A	10 1/2" X 13"	58134-ZV5-013AH
Aluminiu 4 pale <i>(standard)</i>	BF40A / BF40D / BF50A / BF50D / BF60A	10 1/2" X 14"	58134-ZV5-014AH
Aluminiu 4 pale <i>(standard)</i>	BFP60A / BF75A / BF75D / BF90A / BF90D / BF100A / BF115A / BF130A	13 1/4" X 13"	58134-ZW1-013AH
Aluminiu 4 pale <i>(standard)</i>	BFP60A / BF75A / BF75D / BF90A / BF90D / BF100A / BF115A / BF130A	13" X 15"	58134-ZW1-015AH
Aluminiu 4 pale <i>(standard)</i>	BFP60A / BF75A / BF75D / BF90A / BF90D / BF100A / BF115A / BF130A	12 3/4" X 17"	58134-ZW1-017AH
Aluminiu 4 pale <i>(standard)</i>	BFP60A / BF75A / BF75D / BF90A / BF90D / BF100A / BF115A / BF130A	12 1/2" X 19"	58134-ZW1-019AH
Aluminiu 4 pale <i>(standard)</i>	BFP60A / BF75A / BF75D / BF90A / BF90D / BF100A / BF115A / BF130A	12 1/2" X 21"	58134-ZV5-021AH

3) TIP ELICE	RECOMANDAT PENTRU	DIMENSIUNE	COD COMANDA
Aluminiu 4 pale (standard)	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 3/4" X 15"	58134-ZY3-015A
Alum 4 pale (contrarotanta)	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 3/4" X 15"	58134-ZY3-015B
Aluminiu 4 pale (standard)	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 1/2" X 17"	58134-ZY3-017A
Alum 4 pale (contrarotanta)	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 1/2" X 17"	58134-ZY3-017B
Aluminiu 4 pale (standard)	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 1/4" X 19"	58134-ZY3-019A
Alum 4 pale (contrarotanta)	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 1/4" X 19"	58134-ZY3-019B
Aluminiu 4 pale (standard)	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14" X 21"	58134-ZY3-021A
Alum 4 pale (contrarotanta)	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14" X 21"	58134-ZY3-021B

4) TIP ELICE	Observatii de performanta	RECOMANDAT PENTRU	DIMENSIUNE	COD COMANDA
INOX 3 pale	/	BF20A (Nu pt. BF20D!) / BF25D / BF30D	10" x 8"	58133-ZV7-008AH
INOX 3 pale	/	BF25D / BF30D	10" x 9"	58133-ZV7-009AH
INOX 3 pale	/	BF25D / BF30D	10" x 10"	58133-ZV7-010AH
INOX 3 pale	/	BF25D / BF30D	10" x 11"	58133-ZV7-011AH
INOX 3 pale	/	BF25D / BF30D	10" x 12"	58133-ZV7-012AH
INOX 3 pale	/	BF25D / BF30D	10" x 13"	58133-ZV7-013AH
INOX 3 pale	/	BF40A / BF40D / BF50A / BF50D / BF60A	12 1/4" x 9"	59133-ZV5-009AH
INOX 3 pale	/	BF40A / BF40D / BF50A / BF50D / BF60A	11 3/4" x 11"	59133-ZV5-011AH
INOX 3 pale	/	BF40A / BF40D / BF50A / BF50D / BF60A	11 1/2" x 12"	59133-ZV5-012AH
INOX 3 pale	/	BF40A / BF40D / BF50A / BF50D / BF60A	11 1/8" x 13"	59133-ZV5-013AH
INOX 3 pale	/	BF40A / BF40D / BF50A / BF50D / BF60A	11 1/8" x 14"	59133-ZV5-014AH
INOX 3 pale	/	BF40A / BF40D / BF50A / BF50D / BF60A	11" x 15"	59133-ZV5-015AH
INOX 3 pale	/	BF40A / BF40D / BF50A / BF50D / BF60A	10 3/4" x 16"	59133-ZV5-016AH
INOX 3 pale	/	BF40A / BF40D / BF50A / BF50D / BF60A	11" x 17"	59133-ZV5-017AH

4) TIP ELICE	Observatii de performanta	RECOMANDAT PENTRU	DIMENSIUNE	COD COMANDA
INOX 3 pale	<p>Large blade area design provides:</p> <ul style="list-style-type: none"> • Great load carrying capability • Excellent fuel economy <p>Suprafele largite ale palelor ofera:</p> <ul style="list-style-type: none"> • Capacitate mare de transport a sarcinilor • Economie excelenta de combustibil 	BFP60A / BF75A / BF75D / BF80A / BF90A / BF90D / BF100A / BF115A / BF130A	13 3/4" x 13"	58133-ZW1-A13AH
INOX 3 pale (contrarotanta)		BFP60A / BF75A / BF75D / BF80A / BF90A / BF90D / BF100A / BF115A / BF130A	13 3/4" x 13"	58133-ZW1-B13AH
INOX 3 pale		BFP60A / BF75A / BF75D / BF80A / BF90A / BF90D / BF100A / BF115A / BF130A	13 3/4" x 15"	58133-ZW1-A15AH
INOX 3 pale (contrarotanta)		BFP60A / BF75A / BF75D / BF80A / BF90A / BF90D / BF100A / BF115A / BF130A	13 3/4" x 15"	58133-ZW1-B15AH
INOX 3 pale		BFP60A / BF75A / BF75D / BF80A / BF90A / BF90D / BF100A / BF115A / BF130A	13 1/4" x 17"	58133-ZW1-A17AH
INOX 3 pale (contrarotanta)		BFP60A / BF75A / BF75D / BF80A / BF90A / BF90D / BF100A / BF115A / BF130A	13 1/4" x 17"	58133-ZW1-B17AH
INOX 3 pale		BFP60A / BF75A / BF75D / BF80A / BF90A / BF90D / BF100A / BF115A / BF130A	13 1/4" x 19"	58133-ZW1-A19AH
INOX 3 pale (contrarotanta)		BFP60A / BF75A / BF75D / BF80A / BF90A / BF90D / BF100A / BF115A / BF130A	13 1/4" x 19"	58133-ZW1-B19AH
INOX 3 pale	<p>Provides good acceleration & top end performance on a wide variety of craft.</p> <ul style="list-style-type: none"> • Larger Blade area • Moderate Cupping <p>Ofera o acceleratie buna si performante de varf pe o mare varietate de ambarcatiuni.</p> <ul style="list-style-type: none"> • Suprafata mai mare a palei • Cavitate moderata 	BF115D / BF135A / BF150A / BF175A / BF175D / BF200A / BF200D / BF225A / BF225D	13 1/2" x 15"	58133-ZY3-A15AH
INOX 3 pale (contrarotanta)		BF115D / BF135A / BF150A / BF175A / BF175D / BF200A / BF200D / BF225A / BF225D	13 1/2" x 15"	58133-ZY3-B15AH
INOX 3 pale		BF115D / BF135A / BF150A / BF175A / BF175D / BF200A / BF200D / BF225A / BF225D	14 1/4" x 17"	58133-ZY3-A17AH
INOX 3 pale (contrarotanta)		BF115D / BF135A / BF150A / BF175A / BF175D / BF200A / BF200D / BF225A / BF225D	14 1/4" x 17"	58133-ZY3-B17AH
INOX 3 pale		BF115D / BF135A / BF150A / BF175A / BF175D / BF200A / BF200D / BF225A / BF225D	14" x 19"	58133-ZY3-A19AH
INOX 3 pale (contrarotanta)		BF115D / BF135A / BF150A / BF175A / BF175D / BF200A / BF200D / BF225A / BF225D	14" x 19"	58133-ZY3-B19AH
INOX 3 pale		BF115D / BF135A / BF150A / BF175A / BF175D / BF200A / BF200D / BF225A / BF225D	14" x 21"	58133-ZY3-A21AH

4) TIP ELICE	Observatii de performanta	RECOMANDAT PENTRU	DIMENSIUNE	COD COMANDA
INOX 3 pale (contrarotanta)		BF115D / BF135A / BF150A / BF175A / BF175D / BF200A / BF200D / BF225A / BF225D	14" x 21"	58133-ZY3- B21AH

5) TIP ELICE	Observatii de performanta	RECOMANDAT PENTRU	DIMENSIUNE	COD COMANDA
INOX 3 pale	Provides better load carrying capability and higher levels of fuel efficiency for higher power Honda Outboard engines • High camber blade geometry • Large blade area Oferă o capacitate mai bună de transportare a încărcăturii și niveluri mai ridicate de consum de combustibil la motoarele de putere mai mare. • Curbura ridicată a palei • Suprafața mare a palei	BF115D / BF135A / BF150A / BF175A / BF175D / BF200A / BF200D / BF225A / BF225D	15 1/2" x 15"	58133-ZY3-A15S
INOX 3 pale (contrarotanta)		BF115D / BF135A / BF150A / BF175A / BF175D / BF200A / BF200D / BF225A / BF225D	15 1/2" x 15"	58133-ZY3-B15S
INOX 3 pale		BF115D / BF135A / BF150A / BF175A / BF175D / BF200A / BF200D / BF225A / BF225D	15 1/4" x 17"	58133-ZY3-A17S
INOX 3 pale (contrarotanta)		BF115D / BF135A / BF150A / BF175A / BF175D / BF200A / BF200D / BF225A / BF225D	15 1/4" x 17"	58133-ZY3-B17S
INOX 3 pale		BF115D / BF135A / BF150A / BF175A / BF175D / BF200A / BF200D / BF225A / BF225D	15" x 19"	58133-ZY3-A19S
INOX 3 pale (contrarotanta)		BF115D / BF135A / BF150A / BF175A / BF175D / BF200A / BF200D / BF225A / BF225D	15" x 19"	58133-ZY3-B19S
INOX 3 pale		BF115D / BF135A / BF150A / BF175A / BF175D / BF200A / BF200D / BF225A / BF225D	14 3/4" x 21"	58133-ZY3-A21S
INOX 3 pale (contrarotanta)		BF115D / BF135A / BF150A / BF175A / BF175D / BF200A / BF200D / BF225A / BF225D	14 3/4" x 21"	58133-ZY3-B21S
INOX 3 pale		BF115D / BF135A / BF150A / BF175A / BF175D / BF200A / BF200D / BF225A / BF225D	14 1/2" x 23"	58133-ZY3-A23S
INOX 3 pale (contrarotanta)		BF115D / BF135A / BF150A / BF175A / BF175D / BF200A / BF200D / BF225A / BF225D	14 1/2" x 23"	58133-ZY3-B23S
INOX 3 pale	/	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 3/4" x 16"	58133-ZY3- A16HR
INOX 3 pale (contrarotanta)	/	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 3/4" x 16"	58133-ZY3-B16HR
INOX 3 pale	/	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 3/4" x 17"	58133-ZY3- A17HR
INOX 3 pale (contrarotanta)	/	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 3/4" x 17"	58133-ZY3-B17HR
INOX 3 pale	/	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 3/4" x 18"	58133-ZY3- A18HR

5) TIP ELICE	Observatii de performanta	RECOMANDAT PENTRU	DIMENSIUNE	COD COMANDA
INOX 3 pale (contrarotanta)	/	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 3/4" x 18"	58133-ZY3-B18HR
INOX 3 pale	/	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 3/4" x 19"	58133-ZY3-A19HR
INOX 3 pale (contrarotanta)	/	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 3/4" x 19"	58133-ZY3-B19HR
INOX 3 pale	/	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 3/4" x 20"	58133-ZY3-A20HR
INOX 3 pale (contrarotanta)	/	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 3/4" x 20"	58133-ZY3-B20HR
INOX 3 pale	/	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 1/2" x 21"	58133-ZY3-A21HR
INOX 3 pale (contrarotanta)	/	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 1/2" x 21"	58133-ZY3-B21HR
INOX 3 pale	/	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 1/4" x 22"	58133-ZY3-A22HR
INOX 3 pale (contrarotanta)	/	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A	14 1/4" x 22"	58133-ZY3-B22HR

6) TIP ELICE	Obs.	RECOMANDAT PENTRU	DIMENSIUNE	COD COMANDA
INOX 3 pale	/	BF175D / BF200D / BF225D / BF250A / BF250D	15 3/4	58133-ZY3-A15LX
INOX 3 pale (contrarotanta)	/	BF175D / BF200D / BF225D / BF250A / BF250D	15 3/4	58133-ZY3-B15LX
INOX 3 pale	/	BF175D / BF200D / BF225D / BF250A / BF250D	15 5/8	58133-ZY3-A16LX
INOX 3 pale (contrarotanta)	/	BF175D / BF200D / BF225D / BF250A / BF250D	15 5/8	58133-ZY3-B16LX
INOX 3 pale	/	BF175D / BF200D / BF225D / BF250A / BF250D	15 1/2	58133-ZY3-A17LX
INOX 3 pale (contrarotanta)	/	BF175D / BF200D / BF225D / BF250A / BF250D	15 1/2	58133-ZY3-B17LX
INOX 3 pale	/	BF175D / BF200D / BF225D / BF250A / BF250D	15 3/8	58133-ZY3-A18LX
INOX 3 pale (contrarotanta)	/	BF175D / BF200D / BF225D / BF250A / BF250D	15 3/8	58133-ZY3-B18LX
INOX 3 pale	/	BF175D / BF200D / BF225D / BF250A / BF250D	15 1/4	58133-ZY3-A19LX
INOX 3 pale (contrarotanta)	/	BF175D / BF200D / BF225D / BF250A / BF250D	15 1/4	58133-ZY3-B19LX
INOX 3 pale	/	BF175D / BF200D / BF225D / BF250A / BF250D	15 1/8	58133-ZY3-A20LX
INOX 3 pale (contrarotanta)	/	BF175D / BF200D / BF225D / BF250A / BF250D	15 1/8	58133-ZY3-B20LX
INOX 3 pale	/	BF175D / BF200D / BF225D / BF250A / BF250D	15	58133-ZY3-A21LX

6) TIP ELICE	Obs.	RECOMANDAT PENTRU	DIMENSIUNE	COD COMANDA
INOX 3 pale (contrarotanta)	/	BF175D / BF200D / BF225D / BF250A / BF250D	15	58133-ZY3-B21LX

7) TIP ELICE	Observatii de performanta	RECOMANDAT PENTRU	DIMENSIUNE	COD COMANDA
INOX 4 pale	<p>This 4 Blade High Rake range, offers excellent cruising performance and maneuvering capability making it ideal for offshore applications.</p> <ul style="list-style-type: none"> • Very Powerful Thrust • Smooth Operation <p>Aceasta elice cu inclinatie mare a celor 4 pale, ofera performante excelente de croaziera si capacitate de manevrare, făcându-l ideal pentru aplicatii offshore (in largul marilor).</p> <ul style="list-style-type: none"> • Capacitate puternica de impingere • Operare delicata 	BF115D / BF135A / BF150A / BF175A / BF200A / BF225A / BF250A	14 1/2 x 15"	58134-ZY3-A15HR
INOX 4 pale (contrarotanta)		BF115D / BF135A / BF150A / BF175A / BF200A / BF225A / BF250A	14 1/2 x 15"	58134-ZY3-B15HR
INOX 4 pale		BF115D / BF135A / BF150A / BF175A / BF200A / BF225A / BF250A	14 1/4" x 17"	58134-ZY3-A17HR
INOX 4 pale (contrarotanta)		BF115D / BF135A / BF150A / BF175A / BF200A / BF225A / BF250A	14 1/4" x 17"	58134-ZY3-B17HR
INOX 4 pale		BF115D / BF135A / BF150A / BF175A / BF200A / BF225A / BF250A	14 1/8" x 18"	58134-ZY3-A18HR
INOX 4 pale (contrarotanta)		BF115D / BF135A / BF150A / BF175A / BF200A / BF225A / BF250A	14 1/8" x 18"	58134-ZY3-B18HR
INOX 4 pale		BF115D / BF135A / BF150A / BF175A / BF200A / BF225A / BF250A	14 1/8" x 19"	58134-ZY3-A19HR
INOX 4 pale (contrarotanta)		BF115D / BF135A / BF150A / BF175A / BF200A / BF225A / BF250A	14 1/8" x 19"	58134-ZY3-B19HR
INOX 4 pale		BF115D / BF135A / BF150A / BF175A / BF200A / BF225A / BF250A	14" x 20"	58134-ZY3-A20HR
INOX 4 pale (contrarotanta)		BF115D / BF135A / BF150A / BF175A / BF200A / BF225A / BF250A	14" x 20"	58134-ZY3-B20HR
INOX 4 pale		BF115D / BF135A / BF150A / BF175A / BF200A / BF225A / BF250A	14" x 21"	58134-ZY3-A21HR
INOX 4 pale (contrarotanta)		BF115D / BF135A / BF150A / BF175A / BF200A / BF225A / BF250A	14" x 21"	58134-ZY3-B21HR
INOX 4 pale		BF115D / BF135A / BF150A / BF175A / BF200A / BF225A / BF250A	14" x 23"	58134-ZY3-A23HR
INOX 4 pale (contrarotanta)		BF115D / BF135A / BF150A / BF175A / BF200A / BF225A / BF250A	14" x 23"	58134-ZY3-B23HR

7) TIP ELICE	Observatii de performanta	RECOMANDAT PENTRU	DIMENSIUNE	COD COMANDA
INOX 4 pale		BF115D / BF135A / BF150A / BF175A / BF200A / BF225A / BF250A	14" x 25"	58134-ZY3-A25HR
INOX 4 pale <i>(contrarotanta)</i>		BF115D / BF135A / BF150A / BF175A / BF200A / BF225A / BF250A	14" x 25"	58134-ZY3-B25HR